

Tegopren® 5843

- Water dilutable silicone surfactants
- Extremely low surface tension
- Excellent wetting ability

Chemical and Physical Properties (Not Part of Specifications)

Active matter	100 %
Type	Non-ionic
Form	Liquid
Cloud point [°C]	90
Surface tension [25 °C, mN/m]	28
pH-stability	slightly acidic to slightly alkaline

Solubility (25°C)

Water	Soluble
Alcohol	Soluble
Aromatics	Soluble
Aliphatics h. c.	Insoluble
Paraffin oil	Insoluble

Properties

- TEGOPREN® 5843 is a polyether siloxane
- This kind of polyether siloxane are also described as silicone surfactants or silicone tensides. They are excellent wetting agents and they are able to spread very easily over nearly every surface.
- Polyether siloxanes can be added very easily into water based polishes, they are directly water dilutable.
- In addition to their spreading ability, they impart gloss and smoothness to the treated surface.

- In some cases it is possible to use the polyether siloxanes, especially TEGOPREN® 5851 as "solubilizing agents". Other, hard to emulsify silicone agents can be mixed or diluted first into the TEGOPREN® and then together emulsified. The quality of the resulting emulsion will be improved.

Packaging

- 200 kg plastic drums
- 1,000 kg plastic containers

Storage and processing recommendation

In originally sealed drums at room temperature they can be stored 12 months.

Hazardous goods classification

Information concerning

- Classification and labeling according to Regulations for transport and for dangerous substances.
- Protective measures for storage and handling
- Measures in case of accidents and fires
- Toxicity and ecological effects

is given in our Material Safety Data Sheets.

Product Safety

Please refer to our Material Safety Data Sheet (MSDS) or contact your local representative for more information.

Trademark and Legal Notice This information and all further technical advice is based on our present knowledge and experience. However, it implies no liability or other legal responsibility on our part, including with regard to existing third party intellectual property rights, especially patent rights. In particular, no warranty, whether express or implied, or guarantee of product properties in the legal sense is intended or implied. We reserve the right to make any changes according to technological progress or further developments. The customer is not released from the obligation to conduct careful inspection and testing of incoming goods. Performance of the product described herein should be verified by testing, which should be carried out only by qualified experts in the sole responsibility of a customer. Reference to trade names used by other companies is neither a recommendation, nor does it imply that similar products could not be used.

Evonik Corporation 7801 Whitepine Road Richmond VA 23237-2210 USA
Phone +1 804 727 0728 Fax +1 804 727 0849

Evonik Degussa (China) Co. Ltd. Shanghai Branch 55 Chundong Road, Xinzhuang Industry Park,
Shanghai, China 201108
Phone +86 21 6119 1000 Fax +86 21 6119 1264

Evonik Nutrition & Care GmbH Rodenbacher Chaussee 4 63457 Hanau
Phone +49 0 6181 59 6338 Fax +49 0 6181 59 76338