MIRASHEEN[®] S 120

TECHNICAL DATA SHEET NA 90075502 - AUGUST 2019

IDENTIFICATION

Chemical Name:	SURFACTANT BLEND
CAS Number:	68585-34-2; 68140-00-1; 111-60-4

SPECIFICATIONS	RESULTS	METHOD
Appearance @ 25C	White to Off-White Pearlshine Medium Viscous Liquid; No visible signs of separation, instability or foreign matter	Visual
Viscosity @ 25C, #4@10 RPM (RV), CPS	15000 Max	RP-17619
Solids (Microwave), %	36.0 - 44.0	RP-17650
pH (As Is)	4.3 – 5.1	RP-17601
Active, % (MW 340)	10.0 – 13.0	RP-17501
Density @ 25 Deg C, g/ml	0.95 – 1.10	RP-17617
Total Plate Count, cfu/g	100 Max	RP-1370
Total Yeast / Mold Count (cfu/ml)	50 Max	RP-1370
Gram Negative Bacteria, cfu/ml	Negative	RP-1370

STANDARD APPLICATIONS

MIRASHEEN[®] S 120 is a liquid pearlizing concentrate which can be cold blended into household and personal care formulations to provide an opaque or pearly appearance to the final product. The use of liquid pearlizing concentrates can improve production efficiency and reduce capital equipment which is typically required to use solid pearlizing agents. MIRASHEEN[®] S 120 should be used at levels between

2% and 6% by weight of the total formulation depending on the desired intensity of a pearl effect in the final product.

MIRASHEEN[®] S 120 is suited for most foaming personal care formulations containing Sodium Laureth Sulfate and Cocamidopropyl Betaine and may also be compatible with other formulations. Compatibility in a given application should be checked prior to use on an industrial scale.

STANDARD PACKAGING

MIRASHEEN[®] S 120 is available in Bulk Quantities, 400 LB. Open Head Poly Drums, and 2000 LB. Totes. Alternative package sizes may be available upon request.

SHELF LIFE

MIRASHEEN[®] S 120 has a shelf life of 365 days.

WARNING

The information contained in this document is given in good faith and based on our current knowledge. It is only an indication and is in no way binding, notably as regards infringement of or prejudice to third parties through the use of our products. SOLVAY GUARANTEES THAT ITS PRODUCTS COMPLY WITH ITS SALES SPECIFICATIONS.

This information must on no account be used as a substitute for necessary prior tests which alone can ensure that a product is suitable for a given use. Users are responsible for ensuring compliance with local legislation and for obtaining the necessary certifications and authorisations. Users are requested to check that they are in possession of the latest version of the present document and SOLVAY is at their disposal to supply any additional information.



For orders or questions, call us at the following numbers or visit us at www.solvay.com

North America 1-888-776-7337 Europe – Middle East – Africa (33) 01 53 56 50 00 Asia - Pacific (65) 62 91 19 21 Latin America (55) 11 37 47 78 86