# RHEOZAN® BLC

#### TECHNICAL DATA SHEET AP 90100601 - OCTOBER 2021

### **PROVISIONAL**

# **IDENTIFICATION**

INCI Name: WATER, CELLULOSE, GLYCERIN, XANTHAN GUM, CELLULOSE GUM,

SODIUM BENZOATE

CAS Number: 9004-34-6

SPECIFICATIONS	RESULTS	METHOD
Appearance (@25°C)	White, Viscous Liquid	RP-0064
pH (As Is 25°C)	3.0 - 4.0	RP-0420
Viscosity@25°C (LVT, 4#SP, 20RPM)	10000 Max	RP-8162
Oven Solids (105°C, 2 HR), %	1.0 - 3.0	RP-0540
Total Plate Count, cfu/g	1000 Max	RP-0315
Yeast & Mold, cfu/g	100 Max	RP-0315

#### **TYPICAL PROPERTIES**

Odor Slight Odor

Solubility: Dispersible in Water

#### STANDARD APPLICATIONS

RHEOZAN® BLC is a ready to use nature-based solution which targets low viscosity liquid formulations and enables high yield stress in home & personal care applications. When added in surfactant containing formula, the solution creates a three-dimension network of insoluble fibers of cellulose that provides yield and suspension properties of various particulate matters without affecting final or perceived viscosity of the formulation.

Typical home care applications include stabilization of fragrance capsules or opacifier in liquid laundry detergents, creation of visual cues by incorporation of particles in surface cleaning products.

# STANDARD PACKAGING

RHEOZAN® BLC is available in 25 KG. Drums, and 200 KG. Plastic Drums. Alternative package sizes may be available upon request.

# **SHELF LIFE**

RHEOZAN® BLC has a shelf life of 550 days.

#### WARNING

The information contained in this document is given in good faith and based on our current knowledge. It is only an indication and is in no way binding, notably as regards infringement of or prejudice to third parties through the use of our products. SOLVAY GUARANTEES THAT ITS PRODUCTS COMPLY WITH ITS SALES SPECIFICATIONS.

This information must on no account be used as a substitute for necessary prior tests which alone can ensure that a product is suitable for a given use. Users are responsible for ensuring compliance with local legislation and for obtaining the necessary certifications and authorisations. Users are requested to check that they are in possession of the latest version of the present document and SOLVAY is at their disposal to supply any additional information.



For orders or questions, call us at the following numbers or visit us at www.solvav.com

North America 1-888-776-7337 Europe – Middle East – Africa (33) 01 53 56 50 00 Asia - Pacific (65) 62 91 19 21 Latin America (55) 11 37 47 78 86