

REPEL-O-TEX[®] CRYSTAL

PRODUCT DATA SHEET N002540 – DECEMBER 2013

IDENTIFICATION

Chemical Name: Proprietary Nonionic Polymer

CAS Number: Proprietary

SPECIFICATIONS

Appearance @ 25 Deg C

pH (As Is @ 25 Deg C)

% Solids (CEM; 45% Power)

Viscosity @ 25 C (#2, 60 RPM, 1 Min), CPS

RESULTS

Clear to Slightly Hazy, Yellow Liquid

5.0 – 7.0

68.0 – 71.0

1000 Max

METHOD

RP-0064

RP-0420

RP-0528

RP-0596

STANDARD APPLICATIONS

REPEL-O-TEX[®] CRYSTAL is designed for liquid laundry detergents. REPEL-O-TEX[®] CRYSTAL imparts soil release properties to polyester fabrics, offering protection against adhesion of greasy soils between wash cycles. Recommended inclusion rate: 1 – 1.5%.

SPECIAL INSTRUCTIONS

REPEL-O-TEX[®] CRYSTAL stratifies into a clear upper layer and a turbid lower layer on standing. Agitation recommended prior to use

STANDARD PACKAGING

REPEL-O-TEX[®] CRYSTAL is available in Bulk Quantities, 460 LB. Closed Head Poly Drums, and 2200 LB. Totes. Alternative package sizes may be available upon request.

SHELF LIFE

REPEL-O-TEX[®] CRYSTAL has a shelf life of 550 days.

WARNING

The information contained in this document is given in good faith and based on our current knowledge. It is only an indication and is in no way binding, notably as regards infringement of or prejudice to third parties through the use of our products. RHODIA GUARANTEES THAT ITS PRODUCTS COMPLY WITH ITS SALES SPECIFICATIONS.

This information must on no account be used as a substitute for necessary prior tests which alone can ensure that a product is suitable for a given use. Users are responsible for ensuring compliance with local legislation and for obtaining the necessary certifications and authorisations. Users are requested to check that they are in possession of the latest version of the present document and RHODIA is at their disposal to supply any additional information.



For orders or questions, call us at the following numbers or visit us at www.solvay.com

North America
1-888-776-7337

Europe – Middle East – Africa
(33) 01 53 56 50 00

Asia - Pacific
(65) 62 91 19 21

Latin America
(55) 11 37 47 78 86